

YOUTHCARE QUALITY MEASURES

MEASURE NAME	DESCRIPTION	MEASURE STEWARD/SOURCE
Follow-Up After Hospitalization for Mental Illness (FUH) ¹	The percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental illness or intentional self-harm diagnoses and who had a follow-up visit with a mental health provider.	HEDIS
Follow-Up After Emergency Department Visit for Mental Illness (FUM) ¹	The percentage of emergency department (ED) visits for members 6 years of age and older with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness.	HEDIS
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA) ¹	The percentage of emergency department (ED) visits for members 13 years of age and older with a principal diagnosis of alcohol or other drug (AOD) abuse or dependence, who had a follow up visit for AOD.	HEDIS
Mental Health Utilization (MPT)	<p>This measure summarizes the number and percentage of members receiving the following mental health services during the measurement year:</p> <ul style="list-style-type: none"> • Inpatient. • Intensive outpatient or partial hospitalization. • Outpatient. • ED. • Telehealth. • Any service. 	HEDIS
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET)	<p>The percentage of adolescent and adult members with a new episode of alcohol or other drug (AOD) abuse or dependence who received the following.</p> <ul style="list-style-type: none"> • <i>Initiation of AOD Treatment.</i> The percentage of members who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial 	HEDIS

YOUTHCARE QUALITY MEASURES

MEASURE NAME	DESCRIPTION	MEASURE STEWARD/SOURCE
	<p>hospitalization, telehealth or medication treatment within 14 days of the diagnosis.</p> <ul style="list-style-type: none"> • <i>Engagement of AOD Treatment.</i> The percentage of members who initiated treatment and who were engaged in ongoing AOD treatment within 34 days of the initiation visit. 	
Follow-up Care for Children Prescribed ADHD Medications (ADD)	The percentage of children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least three follow-up care visits within a 10-month period, one of which was within 30 days of when the first ADHD medication was dispensed.	HEDIS
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)	The percentage of children and adolescents 1–17 years of age who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment.	HEDIS
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM)	The percentage of children and adolescents 1–17 years of age who had two or more antipsychotic prescriptions and had metabolic testing.	HEDIS
Ambulatory Care (AMB): ED Visits measure	<p>This measure summarizes utilization of ambulatory care in the following category:</p> <ul style="list-style-type: none"> • ED Visits. 	HEDIS/CMS Child Core Set
Child and Adolescent Well-Care Visits (WCV) ²	The percentage of members 3–21 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.	HEDIS
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)	<p>The percentage of members 3–17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following during the measurement year.</p> <ul style="list-style-type: none"> • BMI percentile documentation. • Counseling for nutrition. • Counseling for physical activity. 	HEDIS
Childhood Immunization Status (CIS) ²	The percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis	HEDIS

YOUTHCARE QUALITY MEASURES

MEASURE NAME	DESCRIPTION	MEASURE STEWARD/SOURCE
	(DTaP); three polio (IPV); one measles, mumps and rubella (MMR); three haemophilus influenza type B (HiB); three hepatitis B (HepB), one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (HepA); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday.	
Immunizations for Adolescents (IMA)	The percentage of adolescents 13 years of age who had one dose of meningococcal vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday.	HEDIS
Annual Dental Visits (ADV) ²	The percentage of members 2–20 years of age who had at least one dental visit during the measurement year.	HEDIS
Mobile Crisis Response Services that Result in Hospitalization for Children and Adolescents ²	The percentage of mobile crisis response (MCR) services for members ages 0 through 20 years who had a subsequent inpatient admission within three days of the MCR service.	HFS Custom
Emergency Department (ED) Visits that Result in an Inpatient Admission for Children and Adolescents ²	The percentage of ED visits for members ages 0 through 20 years with a diagnosis of mental illness or intentional self-harm, that resulted in an inpatient admission.	HFS Custom
Inpatient Utilization – Behavioral Health (BH) Hospitalizations for Children and Adolescents ²	This measure summarizes the utilization of acute BH inpatient care and services for members ages 0 through 20 years reported as: Inpatient BH Utilization Average Length of Stay	HFS Custom
Repeat Behavioral Health Hospitalizations for Children and Adolescents ²	The number and percentage of repeat BH hospitalizations for members ages 0 through 20 years during the measurement period.	HFS Custom